




The **Drillcutta Plus** is an ETA-1 approved and fire rated internally threaded concrete screw anchor specifically designed to revolutionise suspending building services from concrete soffits.

The **Drillcutta Plus** performs outstandingly in either cracked or un-cracked concrete, with superior installation performance.

Applications

- M10 Threaded Pipe Supports
- HVAC Ductwork installation
- Electrical Cable tray installation



Suitable For



Cracked
Concrete



Un-Cracked
Concrete



Dimension
Stone




Hollow
Brick



Hollow Solid
Sand-Lime
Brick



Light-Weight
Aggregate
Concrete



Hollow
Concrete
Block



Solid
Sand-Lime
Brick

Drillcutta Range



M10 Female Drillcutta Plus



Female Drillcutta Plus - Bucket



Female Drillcutta



Female Drillcutta - Bucket



Male Drillcutta



Male Drillcutta - Bucket

Drillcutta Anchor Test Results

THREAD SIZE MM	ANCHOR SIZE MM	DRILL SIZE MM	EMBED DEPTH MM	150MM WESTKON HOLLOW CORE	200MM WESTKON HOLLOW CORE	250MM WESTKON HOLLOW CORE
				TENSION kN	TENSION kN	TENSION kN
M10	6.0	6.0	55	17.8	15.0	18.4

Drillcutta Range



Drillcutta Plus Driver



Sleeve Adapter



Drillcutta Driver Socket



Drillcutta SDS Drill Bit

For more information on our complete list of products contact sales@drillcut.com.au or phone 1800 DRILLCUT (374 552)



Drillcut - Melbourne
15 Corporate Place
Broadmeadows
VIC 3047

 **SALES/SUPPORT**
03 8301 9999

Drillcut - Sydney
Unit 5 Rachael Close
Slough Business Park
Silverwater, NSW 2128

 **SALES/SUPPORT**
02 9737 0099

Drillcut - Launceston
3/34 Innocent Street
Kings Meadows
TAS 7249

 **SALES/SUPPORT**
03 6343 6484

Drillcut - Hobart
55 Sunderland Street
Derwent Park
TAS 7009

 **SALES/SUPPORT**
03 6272 1190

